


## Duxford Bulkhead Tri-Colour IP65 16W Photocell Microwave Sensor



### Key Features

- Daylight threshold
- Dusk to dawn function
- Off during the day, 10% output at night and 100% with Motion Sensor
- Detection range from 2m to 10m
- Selectable 3000K, 4000K or 5500K colour temperature
- IP65 rated housing
- Shatterproof all-polycarbonate diffuser
- Raised mounting plate
- 3 rear entry positions
- Suitable for BESA Box installation
- Suitable for BESA Box installation

**Key Data**

Power	16W
Luminous Flux	1300lm/1550lm/1400lm
Colour Temperature	3000K/4000K/5500K
IP Rating	IP65
Dimensions	Ø325 x 110mm
Warranty	3 Years

**Technical Specifications**

Colour Rendering	>80 CRI
Driver Output Voltage (DC)	36-42V
Fire Rating	V2
Input Voltage (AC)	220-240V
Lamp Viewing Angle	115°
LED Manufacturer	Jingrui
LED Type	SMD 2835
Luminaire Efficacy	96lm/W
Lux Levels	5lux - 400lux
No. of LEDs	52
Operating Temp.	0°C to +45°C
Power Factor	>0.9
Total Circuit Power (W)	16W +/- 1.5W
UGR Rating	More than 19
Weight	1.13Kg
Driver Manufacturer	Merrytek
Electrical Class	1
Housing Colour	White
Housing Material	Polycarbonate

Lifespan LM80	35,000 Hours
Manufacturer	NET LED Lighting
Diffuser Material	Polycarbonate
Dimmable	No
Sensor IP Rating	IP20
Standby Dimming Level	0% / 10%