

# Qr Pro Baffle Plate GU10

*Downlights*



Data Sheet

## Product Information

The QR Pro GU10 Light Plate fittings are ideal for Commercial and Domestic applications. This fitting can be fitted with 50w GU10 Lamps or LED retrofit lamps.

The light plates are available in 4 variants to meet your requirements Single, Twin and Triple plates

Complete with a 1 years warranty for your peace of mind.

## Product Features

- 1 year warranty
- Class II
- IP20
- 2 Rim Options available: Black and White
- Push to fit wire terminal blocks for ease of wiring for the end user
- 3 versions to choose from: Single, Twin and Triple Plates

# Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	CRI (Ra)	Energy Efficiency Class	Protection Class
KSRDL402	Qr Pro GU10 Lampholder @ Push Fit Terminal Connector Block	50w Max					II
KSRDL450	Qr Pro Single Plate White with Black Baffle	50w Max					II
KSRDL451	Qr Pro Single Plate Black with Black Baffle	50w Max					II
KSRDL452	Qr Pro Twin Plate White with Black Baffle	2x50w max					II
KSRDL453	Qr Pro Twin Plate Black with Black Baffle	2x50w max					II
KSRDL454	Qr Pro Triple Plate White with Black Baffle	3x50w max					II
KSRDL455	Qr Pro Triple Plate Black with Black Baffle	3x50w max					II
<b>Accessories</b>							
KSRLP932	7w 3000K 560 lumen Dimmable LED GU10 Lamp	7w	3000	560	80	A+	II
KSRLP933	7w 4000K 600 lumen Dimmable LED GU10 Lamp	7w	4000	600	80	A+	II

<b>Nominal voltage</b>	220~240VAC
<b>Operating frequency</b>	50/60Hz
<b>Power</b>	50w Max
<b>Ambient temperature range</b>	0°C~+40°C
<b>IP rating</b>	20


## Standards

BSEN60598-1:2015      Luminaires – Part 1: General requirements and tests


## In Conformity with

LVD	Low voltage directive 2014/35/EU
EMC	Electromagnetic compatibility directive 2014/30/EU
ERP	Energy related products directive 2009/125/EC
RoHS	Restriction of hazardous substances 2011/65/EU


# Product Dimensions




**KSRDL450-451**



**KSRDL452-453**



**KSRDL454-455**



**KSRDL402**

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted